

# NOTE DE SERVICE

## MEMORANDUM

date:	2021 11 03	
à :	Tous les utilisateurs du laboratoire central du site Glen CUSM	
to:	All MUHC Glen Central Laboratory Users	
de:	Dre Julie St-Cyr,	Rebecka Lang, B.Sc (Hons)
from:	Chef médicale – Biochimie Medical Chief - Biochemistry	Chef de service, Laboratoire central Glen Laboratory Manager, Glen Central Laboratory
objet :	Changement de méthode pour le test $\beta$ -hydroxybutyrate	
subject:	$\beta$ -hydroxybutyrate Method Change	

ENGLISH WILL FOLLOW

Veillez noter qu'en date du **vendredi 19 novembre 2021**, le laboratoire central du site Glen changera la méthode d'analyse du  $\beta$ -hydroxybutyrate.

Les résultats de la nouvelle méthode seront semblables à ceux de l'ancienne méthode. Par conséquent, il n'y aura aucun changement dans la plage de référence pour ce test, dans le type de contenant à fournir et dans le temps de réponse comparer à l'ancienne méthode.

Nous vous remercions de votre compréhension et de votre coopération.

---

Effective **Friday, November 19, 2021** the Glen Central Laboratory will change methods for  $\beta$ -hydroxybutyrate analysis.

The results of the new method are similar to those of the older method. Consequently, the reference range, the type of container and the turnaround time for this test will not change.

We thank you for your understanding and cooperation.